

## INDEX TO VOLUME 7

### AUTHORS

- ALTRINGHAM, J. D.  
see PUGH, M., 293
- ARRIZABALAGA, A.  
see FLAQUER, C., 183
- ARROYO-CABRALES, J., E. K. V. KALKO, R. K. LAVAL,  
J. E. MALDONADO, R. A. MEDELLÍN, O. J. POLACO,  
and B. RODRÍGUEZ-HERRERA  
Rediscovery of the Mexican flat-headed bat *Myotis planiceps* (Vespertilionidae), 309
- ATALA, C.  
see CANALS, M., 65
- AYE AYE KHAING  
see BATES, P. J. J., 205
- AYE AYE NWE  
see STRUEBIG, M. J., 147
- BARCLAY, R. M. R.  
see JACOBS, D. S., 101
- BATES, P. J. J.  
see CSORBA, G., 1  
see STRUEBIG, M. J., 147
- BATES, P. J. J., TIN NWE, SI SI HLA BU, KHIN MIE MIE,  
KHIN MAUNG SWE, NYO NYO, AYE AYE KHAING,  
NU NU AYE, YIN YIN TOKE, NAING NAING AUNG,  
MAR MAR THI, and I. MACKIE  
A review of the genera *Myotis*, *Ia*, *Pipistrellus*,  
*Hypsugo*, and *Arielulus* (Chiroptera: Vespertilio-  
nidae) from Myanmar (Burma), including three  
species new to the country, 205
- BEEDHOLM, K.  
see SIEMERS, B. M., 259
- BEZERRA, A. M. R., F. ESCARLATE-TAVARES, and J.  
MARINHO-FILHO  
First record of *Thyroptera discifera* (Chiroptera:  
Thyropteridae) in the Cerrado of Central Brazil,  
165
- BOGDANOWICZ, W., J. JUSTE, R. D. OWEN, and A.  
SZTENCZEL  
Geometric morphometrics and cladistics: testing  
evolutionary relationships in mega- and micro-  
bats, 39
- BRUDERER, B., and A. G. POPA-LISSEANU  
Radar data on wing-beat frequencies and flight  
speeds of two bat species, 73
- BUMRUNGSRI, S.  
see LEELAPAIBUL, W., 111
- CANALS, M., C. ATALA, B. GROSSI, and J. IRIARTE-  
DÍAZ  
Relative size of hearts and lungs of small bats, 65
- CSORBA, G., and P. J. J. BATES  
Description of a new species of *Murina* from  
Cambodia (Chiroptera: Vespertilionidae: Murini-  
nae), 1
- DIETZ, C.  
see SIEMERS, B. M., 259
- DIETZ, I.  
see SIEMERS, B. M., 259
- ESCARLATE-TAVARES, F.  
see BEZERRA, A. M. R., 165
- FERRI, D.  
see SCILLITANI, G., 301
- FLAQUER, C., R. RUIZ-JARILLO, I. TORRE, and A. AR-  
RIZABALAGA  
First resident population of *Pipistrellus nathusii*  
(Keyserling and Blasius, 1839) in the Iberian  
Peninsula, 183
- GIANNINI, N. P., and E. K. V. KALKO  
The guild structure of animalivorous leaf-nosed  
bats of Barro Colorado Island, Panama, revisited,  
131
- GROSSI, B.  
see CANALS, M., 65
- GUIMARÃES, P. R., JR.  
see MELLO, M. A. R., 179
- HAPPOLD, M.  
A new species of *Myotis* (Chiroptera: Vespertilio-  
nidae) from central Africa, 9
- HOLLAND, R. A., and D. A. WATERS  
Echolocation signals and pinnae movement in the  
fruitbat *Rousettus aegyptiacus*, 83
- HORÁČEK, I., and H. JAHELKOVÁ  
History of the *Pipistrellus pipistrellus* group in  
Central Europe in light of its fossil record, 189
- IRIARTE-DÍAZ, J.  
see CANALS, M., 65
- IVANOVA, T.  
see SIEMERS, B. M., 259

- JACOBS, D. S., R. M. R. BARCLAY, and M. C. SCHOE-  
MAN  
Foraging and roosting ecology of a rare insectivorous bat species, *Laephotis wintoni* (Thomas, 1901), Vespertilionidae, 101
- JAHELKOVÁ, H.  
see HORÁČEK, I., 189
- JARRÍN-V., P.  
see LASSO, D., 121
- JONES, G.  
see ZHANG, L., 91
- JORDANO, P.  
see MELLO, M. A. R., 179
- JUSTE, J.  
see BOGDANOWICZ, W., 39
- KALKO, E. K. V.  
see ARROYO-CABRALES, J., 309  
see GIANNINI, N. P., 131
- KAŇUCH, P., A. KRIŠTÍN, and J. KRIŠTOFÍK  
Phenology, diet, and ectoparasites of Leisler's bat (*Nyctalus leisleri*) in the Western Carpathians (Slovakia), 249
- KHIN MAUNG SWE  
see BATES, P. J. J., 205
- KHIN MYA MYA  
see STRUEBIG, M. J., 147
- KHIN MIE MIE  
see BATES, P. J. J., 205
- KINGSTON, T.  
see POTTIE, S. A., 237  
see STRUEBIG, M. J., 147
- KOCH, C.  
see MACÍAS, S., 275
- KRAMEROV, D. A.  
see MATVEEV, V. A., 23
- KRIŠTÍN, A.  
see KAŇUCH, P., 249
- KRIŠTOFÍK, J.  
see KAŇUCH, P., 249
- KRUSKOP, S. V.  
see MATVEEV, V. A., 23
- KRUTZSCH, P. H.  
Reproductive anatomy and cyclicity of the bat *Eonycteris spelaea* Dobson (Chiroptera: Pteropodidae) in West Malaysia, 51
- KRYŠTUFEK, B.  
Distributional status of the Indian flying fox *Pteropus giganteus* in Sri Lanka, 174
- LANE, D. J. W.  
see POTTIE, S. A., 237
- LASSO, D., and P. JARRÍN-V.  
Diet variability of *Micronycteris megalotis* in pristine and disturbed habitats of Northwestern Ecuador, 121
- LAVAL, R. K.  
see ARROYO-CABRALES, J., 309
- LEE, B. P. Y.-H.  
see POTTIE, S. A., 237
- LEELAPAIBUL, W., S. BUMRUNGSRI, and A. PATTANAWIBOON  
Diet of wrinkle-lipped free-tailed bat (*Tadarida plicata* Buchanan, 1800) in central Thailand: insectivorous bats potentially act as biological pest control agents, 111
- LEINER, N. O.  
see MELLO, M. A. R., 179
- LIANG, B.  
see ZHANG, L., 91
- LIQUORI, G. E.  
see SCILLITANI, G., 301
- LÓPEZ-GONZÁLEZ, C.  
Use of abandoned mines by a community of temperate bats in Durango, Mexico, 285
- MACÍAS, S., E. C. MORA, C. KOCH, and O. VON HELVERSEN  
Echolocation behaviour of *Phyllops falcatus* (Chiroptera: Phyllostomidae): unusual frequency range of the first harmonic, 275
- MACKIE, I.  
see BATES, P. J. J., 205
- MALDONADO, J. E.  
see ARROYO-CABRALES, J., 309
- MARINHO-FILHO, J.  
see BEZERRA, A. M. R., 165
- MAR MAR THI  
see BATES, P. J. J., 205
- MATVEEV, V. A., S. V. KRUSKOP, and D. A. KRAMEROV  
Revalidation of *Myotis petax* Hollister, 1912 and its new status in connection with *M. daubentonii* (Kuhl, 1817) (Vespertilionidae, Chiroptera), 23
- MEDELLÍN, R. A.  
see ARROYO-CABRALES, J., 309
- MELLO, M. A. R., N. O. LEINER, P. R. GUIMARÃES JR., and P. JORDANO  
Size-based fruit selection of *Calophyllum brasiliense* (Clusiaceae) by bats of the genus *Artibeus* (Phyllostomidae) in a Restinga area, southeastern Brazil, 179
- MOE MOE AUNG  
see STRUEBIG, M. J., 147
- MORA, E. C.  
see MACÍAS, S., 275
- NAING NAING AUNG  
see BATES, P. J. J., 205
- NU NU AYE  
see BATES, P. J. J., 205
- NYO NYO  
see BATES, P. J. J., 205
- OWEN, R. D.  
see BOGDANOWICZ, W., 39

- PARSONS, S.  
see ZHANG, L., 91
- PATTANAWIBOON, A.  
see LEELAPAIBUL, W., 111
- POLACO, O. J.  
see ARROYO-CABRALES, J., 309
- POPA-LISSEANU, A. G.  
see BRUDERER, B., 73
- POTTIE, S. A., D. J. W. LANE, T. KINGSTON, and B. P. Y.-H. LEE  
The microchiropteran bat fauna of Singapore, 237
- PUGH, M., and J. D. ALTRINGHAM  
The effect of gates on cave entry by swarming bats, 293
- RODRÍGUEZ-HERRERA, B.  
see ARROYO-CABRALES, J., 309
- RODRÍGUEZ-HERRERA, B., and M. TSCHAPKA  
Tent use by *Vampyressa nymphaea* (Chiroptera: Phyllostomidae) in *Cecropia insignis* (Moraceae) in Costa Rica, 171
- ROSSITER, S. J.  
see STRUEBIG, M. J., 147
- RUIZ-JARILLO, R.  
see FLAQUER, C., 183
- SAI SEIN LIN OO  
see STRUEBIG, M. J., 147
- SCHMIDT-FRENCH, B., and J. O. WHITAKER, JR.  
Acquisition of foraging behavior and insect preferences by naive juvenile red bats (*Lasiurus borealis*), 314
- SCHOEMAN, M. C.  
see JACOBS, D. S., 101
- SCILLITANI, G., S. ZIZZA, G. E. LIQUORI, and D. FERRI  
Histochemical and immunohistochemical evidence for a gradient in gastric juice production in the greater horseshoe bat, *Rhinolophus ferrumequinum* (Schreber, 1774), 301
- SEIN SEIN WIN  
see STRUEBIG, M. J., 147
- SIEMERS, B. M., K. BEEDHOLM, C. DIETZ, I. DIETZ, and T. IVANOVA  
Is species identity, sex, age or individual quality conveyed by echolocation call frequency in European horseshoe bats?, 259
- SI SI HLA BU  
see BATES, P. J. J., 205
- STRUEBIG, M. J., S. J. ROSSITER, P. J. J. BATES, T. KINGSTON, SAI SEIN LIN OO, AYE AYE NWE, MOE MOE AUNG, SEIN SEIN WIN, and KHIN MYA MYA  
Results of a recent bat survey in Upper Myanmar including new records from the Kachin forests, 147
- SZTENCEL, A.  
see BOGDANOWICZ, W., 39
- TIN NWE  
see BATES, P. J. J., 205
- TORRE, I.  
see FLAQUER, C., 183
- TSCHAPKA, M.  
see RODRÍGUEZ-HERRERA, B., 171
- VON HELVERSEN, O.  
see MACÍAS, S., 275
- WATERS, D. A.  
see HOLLAND, R. A., 83
- WHITAKER, J. O., JR.  
see SCHMIDT-FRENCH, B., 314
- YIN YIN TOKE  
see BATES, P. J. J., 205
- ZHANG, L., G. JONES, S. PARSONS, B. LIANG, and S. ZHANG  
Development of vocalizations in the flat-headed bats, *Tylonycteris pachypus* and *T. robustula* (Chiroptera: Vespertilionidae), 91
- ZHANG, S.  
see ZHANG, L., 91
- ZIZZA, S.  
see SCILLITANI, G., 301