

Contents

G. Buşmachi, I. Popa, W. M. Weiner. Collembola (Hexapoda) from Eastern Carpathians, Romania, with description of <i>Hymenaphorura ioni</i> sp. nov.	549
M. Fikáček, Y. N. Minoshima, A. F. Newton. A review of <i>Andotypus</i> and <i>Austrotypus</i> gen. nov., <i>Rygmordine</i> genera with an austral disjunction (Hydrophilidae: Rygmordineae)	557
D. Iwan. New species of the <i>Ectateus</i> generic group (Tenebrionidae: Pedinini)	597
O. Merkl, H. Nasserzadeh. Notes on ultrapsammophilous Erodiini from Iran (Coleoptera: Tenebrionidae: Pimeliinae)	605
J. Poorani, A. Ślipiński, R. G. Booth. A review of the genus <i>Cryptolaemus</i> Mulsant (Coleoptera: Coccinellidae: Coccinellinae: Coccidulini) from New Guinea	613
Y. Yang, J. Su, A. Kopetz. Descriptions of three new Cantharid species related to <i>Themus</i> (<i>Themus</i>) <i>senensis</i> (Pic, 1922) (Coleoptera: Cantharidae)	655
Y. Yu, A. Ślipiński, R. A. B. Leschen, D. Ren, H. Pang. Enigmatic mesozoic bark-gnawing beetles (Coleoptera: Trogossitidae) from the Jiulongshan formation in China	667
S. Farahani, A. A. Talebi, C. van Achterberg, E. Rakhshani. A new species of the genus <i>Mirax</i> Haliday, 1833 (Hymenoptera: Braconidae: Miracinae) from Iran . . .	677
F. J. Peris-Felipo, S. A. Belokobylskij, T. Munk. Three new species of the genera <i>Aspilota</i> Foerster and <i>Synaldis</i> Foerster from north Europe (Hymenoptera: Braconidae: Alysiinae)	683
R.-R. Wang, A. Stroiński, J. Szwedo, T. Bourgoïn, A.-P. Liang. Recent dispersal and diet relaxation might explain the monotypic and endemic genus <i>Montrouzierana</i> Signoret, 1861 in New Caledonia (Hemiptera: Fulgoromorpha: Tropiduchidae)	693